

VAPex

Personal Low Flow Air Sampling Pump

- · Intrinsically Safe
- · Wide low flow range 20mL 500mL/min
- · Wireless Bluetooth connectivity
- · Remote Start/Stop from Airwave App
- · IECEx and ATEX certified EX ia IIC T4 Ga
- Pocket size form factor
- · Remote calibration
- Motion sensing technology
- Auto restart function
- · Simple and smooth (Noise Free) operation
- Rapid charging of battery
- · Add sampling notes on the go



OVERVIEW

The VAPex range has been designed particularly for low flow sampling of vapours and gases in working environments. Its Intrinsically Safe design and remote operation via the Airwave App makes it ideal for modern-day sampling requirements. With a wide flow range of 20mL – 500mL, the VAPex personal sampling pump has outstanding back pressure capability. This capability ensures a uninterrupted smooth operation of the pump in even the most demanding situations.

APPLICATIONS


- Occupational Hygiene
- Mining
- Indoor air quality
- Construction sites
- Personal compliance monitoring



www.controlequipment.com.au www.industrialhygienehub.com.au

Brisbane Office 1/3 Deakin Street Brendale QLD 4500 Ph: 07 3481 9000 Perth Office 5/30 Enterprise Cres Malaga WA 6090 Ph: 08 6184 7840

Flow performance		
Flow range ml/min	20-500	
Flow control	< ± 5% at calibrated point	
Back pressure	70cm @ 500mL/min	
Run time	34 hours at 200mL/min (20cm H2O Back Pressure)	
Dimensions	86 x 82 x 46 (LWD) mm	
Weight	220g	
IP rating	IP65	
·		
Temperature	5°C - 45°C	
Barometric pressure	Auto-correcting	
Battery type	High capacity Li-ion battery	
Chargers	Single or 5-way dock, <6hrs charge time	



Back Pressure vs Battery Life



Model Selection		
VAPex	Standard	Pro
Intrinsically safe	•	•
Motion sensor	•	•
Constant pressure mode		•
Bluetooth		•
PC download		•
Run duration timer		•
Fully programmable timers		•
Logging of flow and motion		•

Ordering Information

VAPex Models

VAPEX

	•	
VAPEXPRO	VAPex I.S Pro Pump	
VAPex Accessories		
All pumps include 1m tube, Field Guide, and a Certificate of Calibration and Conformity		
VAPex Kits		
214020B/KIT	Single Docking Station for VAPex inc PSU & USB Cable	
214024C/KIT	5-Way Docking Station for VAPex inc PSU & USB Cable	
VAPEX/KIT	5-Way VAPex Standard Kit with tubing, docking station, PSU with universal connections and USB cable	
VAPEXPRO/ KIT	5-Way VAPex Pro Kit with tubing, docking station, PSU with universal connections and USB cable	


VAPex I.S Standard Pump



VAPex pump with 5-way charger


Kits available to include sampling accessories

Use Airwave on your mobile device to remotely monitor multiple pumps, without disturbing the wearer.









Create notes on the go ...

DESIGNED FOR SUPREME PERFORMANCE

VAPex pumps have been designed to give optimum performance for low flow rate applications. Its highly sophisticated control mechanism allows users to collect samples at extremely low flow rates to capture vapours and gases via sorbent tubes.

- Runtime of 34 hours at optimum use
- Flexibility to work with all tubes and kits
- Outstanding back pressure capability
- Excellent flow control and stability

VAPex has an outstanding back pressure capability to ensure uninterrupted smooth operation of the pump even in the most demanding settings. Innovative technology embedded in VAPex provides unique features to the user.

INTELLIGENT AND EASY TO WEAR DESIGN

VAPex has one of the most practical, slim and lightweight cases designed with user convenience in mind. The wearing clip comes with a lifetime guarantee.

- Display with highly visible colour coded menus
- Motion sensor to ensure compliance and operation
- Ergonomically designed case weighing only 220 grams
- Recessed inlet spigot to prevent damage
- Large buttons with lockable keypad


Screen on top to prevent damage when in use.



DATA STORAGE AND ANALYSIS

The VAPex can store up to 200 separate runs, storing data including start time, stop time, date, duration, volume sampled and motion index.

- Simple to use download utility for PCs
- Graphs flow, motion and back pressure
- Shows events such as blockages
- Downloads into Excel to easily view and share data




SIMPLE OPERATION

Casella products are known in the industry for their ease of use and the VAPex is no exception to this. Using only four buttons you can easily navigate through the color coded setup menus.

- Just tap a key to start a run
- Displays battery life in remaining hours as well as flow rate
- Intuitive color display to show device status
- Status LEDs showing pump state from a distance







Easy to use menu

BLUETOOTH CONNECTIVITY

Monitor your VAPex remotely with Bluetooth® and the supporting Airwave App on your phone or tablet.

- Monitor the pump without disturbing the wearer
- Monitor multiple pumps
- Start and stop pumps remotely
- Email data direct to your PC



INTRINSICALLY SAFE

VAPex is an Intrinsically Safe (IECEx) pump for use in potentially hazardous atmospheres. Although VAPex is ideal for use in oil and gas, pharmaceutical and chemical industries. Its applications are also frequent where occupational health and safety is in question.

Ex ia IIC T4 Ga (Ta = -200C to +450C)

ACCESSORIES

